

ŠIFRA	OPIS	BOJA SVJETLA	VPC	MPC		SLIKA	
<b>LED ŽARULJE</b>							
<b>MR16</b>							
SP1191	LED ŽARULJA MR16, 5W, 12V, 110° SMD, hladno bijela	6000-6500 K	12,30	15,38	B		
SP1192	LED ŽARULJA MR16, 5W, 12V, 110° SMD, natural bijela	4000-4500 K	12,30	15,38	B		
SP1193	LED ŽARULJA MR16, 5W, 12V, 110° SMD, toplo bijelo svjetlo	2700-3200 K	12,30	15,38	B		
SP1194	LED ŽARULJA MR16, 7W, 12V, 110° SMD, hladno bijela	6000-6500 K	15,50	19,38	B		
SP1195	LED ŽARULJA MR16, 7W, 12V, 110° SMD, natural bijela	4000-4500 K	15,50	19,38	B		
SP1196	LED ŽARULJA MR16, 7W, 12V, 110° SMD, toplo bijelo svjetlo	2700-3200 K	15,50	19,38	B		
<b>G4</b>							
SP1601	LED ŽARULJA G4 1W/12V TOPLO BIJELA	2700-3200 K	11,40	14,25	B	       	
VT4222	LED žarulja - 1.2W 12V G4 Cree Chip	2700-3200 K	25,20	31,50	B		
VT4287	LED žarulja - 1.2W 12V G4 Cree Chip	4000-4500 K	25,20	31,50	B		
VT4240	LED žarulja - 1.2W 12V G4 Cree Chip	6000-6500 K	25,20	31,50	B		
SP1616	LED ŽARULJA G4 1.5W NATURAL BOJELA BOJA	4000-4500 K	13,70	17,13	B		
SP1617	LED ŽARULJA G4 1.5W HLADNO BOJELA BOJA	6000-6500 K	13,70	17,13	B		
SP1625	LED ŽARULJA G4 2W TOPLO BIJELA	2700-3200 K	25,50	31,88	B		
SP1624	LED ŽARULJA G4 2W NATURAL BIJELA	4000-4500 K	25,50	31,88	B		
SP1623	LED ŽARULJA G4 2W HLADNO BIJELA	6000-6500 K	25,50	31,88	B		
SP1614	LED ŽARULJA G4 2,5W/12V TOPLO BIJELA	2700-3200 K	29,10	36,38	B		
SP1604	LED ŽARULJA G4 2W HLADNO BIJELA	6000-6500 K	24,50	30,63	B		
SP1603	LED ŽARULJA G4 2W TOPLO BIJELA	6000-6500 K	24,50	30,63	B		
SP1065	LED ŽARULJA G4, MR11, 4W/12V TOPLO BIJELA	2700-3200 K	24,10	30,13	B		
<b>G9</b>							
SP1631	LED ŽARULJA G9 2W/220V HLADNO BIJELA	6000-6500 K	21,20	26,50	C		 
SP1632	LED ŽARULJA G9 2W/220V TOPLO BIJELA	2700-3200 K	21,20	26,50	C		
SP1635	LED ŽARULJA G9 4.5W, 220V HLADNO BIJELA	6000-6500 K	31,30	39,13	C		
SP1636	LED ŽARULJA G9 4.5W, 220V NATURAL BIJELA	4000-4500 K	31,30	39,13	C		
SP1637	LED ŽARULJA G9 4.5W, 220V TOPLO BIJELA	2700-3200 K	31,30	39,13	C		

ŠIFRA	OPIS	BOJA SVJETLA	VPC	MPC		SLIKA
<b>GU10</b>						
SP1929	LED ŽARULJA GU10, 5W, SMD, 110° hladno bijela	6000-6500 K	12,30	15,38	B	
SP1930	LED ŽARULJA GU10, 5W, SMD, 110° natural bijela	4000-4500 K	12,30	15,38	B	
SP1931	LED ŽARULJA GU10, 5W, SMD, 110° toplo bijelo svjetlo	2700-3200 K	12,30	15,38	B	
SP1932	LED ŽARULJA GU10, 7W, SMD, 110° hladno bijela	6000-6500 K	15,50	19,38	B	
SP1933	LED ŽARULJA GU10, 7W, SMD, 110° natural bijela	4000-4500 K	15,50	19,38	B	
SP1934	LED ŽARULJA GU10, 7W, SMD, 110° toplo bijelo svjetlo	2700-3200 K	15,50	19,38	B	
SP1935	LED ŽARULJA GU10, 5W, SMD, 38° hladno bijela	6000-6500 K	12,30	15,38	B	
SP1936	LED ŽARULJA GU10, 5W, SMD, 38° natural bijela	4000-4500 K	12,30	15,38	B	
SP1937	LED ŽARULJA GU10, 5W, SMD, 38° toplo bijelo svjetlo	2700-3200 K	12,30	15,38	B	
SP1938	LED ŽARULJA GU10, 7W, SMD, 38° hladno bijela	6000-6500 K	15,50	19,38	B	
SP1939	LED ŽARULJA GU10, 7W, SMD, 38° natural bijela	4000-4500 K	15,50	19,38	B	
SP1940	LED ŽARULJA GU10, 7W, SMD, 38° toplo bijelo svjetlo	2700-3200 K	15,50	19,38	B	
<b>E27</b>						
SP1821	LED ŽARULJA E27, A60, 5W, 230V, hladno bijela	6000-6500 K	12,60	15,75	C	
SP1822	LED ŽARULJA E27, A60, 5W, 230V, natural bijela	4000-4500 K	12,60	15,75	C	
SP1823	LED ŽARULJA E27, A60, 5W, 230V, toplo bijelo svjetlo	2700-3200 K	12,60	15,75	C	
SP1824	LED ŽARULJA E27, A60, 7W, 230V, hladno bijela	6000-6500 K	13,70	17,13	C	
SP1825	LED ŽARULJA E27, A60, 7W, 230V, natural bijela	4000-4500 K	13,70	17,13	C	
SP1826	LED ŽARULJA E27, A60, 7W, 230V, toplo bijelo svjetlo	2700-3200 K	13,70	17,13	C	
SP1827	LED ŽARULJA E27, A60, 10W, 230V, hladno bijela	6000-6500 K	15,20	19,00	C	
SP1828	LED ŽARULJA E27, A60, 10W, 230V, natural bijela	4000-4500 K	15,20	19,00	C	
SP1829	LED ŽARULJA E27, A60, 10W, 230V, toplo bijelo svjetlo	2700-3200 K	15,20	19,00	C	
SP1849	LED ŽARULJA E27, A60, 10W, 230V, hladno bijela - dimabilna	6000-6500 K	42,90	53,63	C	
SP1850	LED ŽARULJA E27, A60, 10W, 230V, natural bijela - dimabilna	4000-4500 K	42,90	53,63	C	
SP1830	LED ŽARULJA E27, A60, 10W, 230V, toplo bijelo svjetlo -dimabilna	2700-3200 K	42,90	53,63	C	
SP1831	LED ŽARULJA E27, A65, 12W, 230V, hladno bijela	6000-6500 K	27,30	34,13	C	
SP1832	LED ŽARULJA E27, A65, 12W, 230V, natural bijela	4000-4500 K	27,30	34,13	C	
SP1833	LED ŽARULJA E27, A65, 12W, 230V, toplo bijelo svjetlo	2700-3200 K	27,30	34,13	C	
SP1851	LED ŽARULJA E27, A60, 12W, 230V, hladno bijela - dimabilna	6000-6500 K	55,50	69,38	C	
SP1852	LED ŽARULJA E27, A60, 12W, 230V, natural bijela - dimabilna	4000-4500 K	55,50	69,38	C	
SP1834	LED ŽARULJA E27, A60, 12W, 230V, toplo bijelo svjetlo -dimabilna	2700-3200 K	55,50	69,38	C	
SP1835	LED ŽARULJA E27, A70, 15W, 230V, hladno bijela	6000-6500 K	38,90	48,63	C	
SP1836	LED ŽARULJA E27, A70, 15W, 230V, natural bijela	4000-4500 K	38,90	48,63	C	
SP1837	LED ŽARULJA E27, A70, 15W, 230V, toplo bijelo svjetlo	2700-3200 K	38,90	48,63	C	
<b>E27</b>						
SP1841	LED ŽARULJA E27, FI95mm, 12W 170-265V HLADNO BIJELA - NEW	6000-6500 K	54,50	68,13	C	
SP1842	LED ŽARULJA E27, FI95mm, 12W 170-265V NATURAL BIJELA-NEW	4000-4500 K	54,50	68,13	C	
SP1843	LED ŽARULJA E27, FI95mm, 12W 170-265V TOPLO BIJELA-NEW	2700-3200 K	54,50	68,13	C	
SP1844	LED ŽARULJA E27, FI95mm, 12W 170-265V TOPLO BIJELA-DIMMABLE-NEW	2700-3200 K	77,20	96,50	C	
SP1845	LED ŽARULJA E27, FI120mm, 15W 170-265V HLADNO BIJELA - NEW	6000-6500 K	63,60	79,50	C	
SP1846	LED ŽARULJA E27, FI120mm, 15W 170-265V NATURAL BIJELA-NEW	4000-4500 K	63,60	79,50	C	
SP1847	LED ŽARULJA E27, FI120mm, 15W 170-265V TOPLO BIJELA-NEW	2700-3200 K	63,60	79,50	C	
SP1848	LED ŽARULJA E27, FI120mm, 15W 170-265V TOPLO BIJELA-DIMMABLE-NEW	2700-3200 K	95,30	119,13	C	

ŠIFRA	OPIS	BOJA SVJETLA	VPC	MPC		SLIKA	
<b>E 14</b>							
SP1443	LED ŽARULJA E14 3W 220V HLADNO BIJELA	6000-6500 K	22,70	28,38	C		
SP1444	LED ŽARULJA E14 3W 220V TOPLO BIJELA	2700-3200 K	22,70	28,38	C		
SP1445	LED ŽARULJA E14 5W 220V HLADNO BIJELA	6000-6500 K	33,30	41,63	C		
SP1446	LED ŽARULJA E14 5W 220V TOPLO BIJELA	2700-3200 K	33,30	41,63	C		
SP1438	LED ŽARULJA E14 R50 6W 220V TOPLO BIJELA	2700-3200 K	31,30	39,13	C		
SP1439	LED ŽARULJA E14 R50 6W 220V HLADNO BIJELA	6000-6500 K	31,30	39,13	C		
SP1440	LED ŽARULJA E14 R50 6W 220V NATURAL BIJELA	4000-4500 K	31,30	39,13	C		
SP1451	LED ŽARULJA E14 4W 220V HLADNO BIJELA	6000-6500 K	12,30	15,38	C		
SP1452	LED ŽARULJA E14 4W 220V NEUTRAL BIJELA	4000-4500 K	12,30	15,38	C		
SP1453	LED ŽARULJA E14 4W 220V TOPLO BIJELA	2700-3200 K	12,30	15,38	C		
SP1457	LED ŽARULJA E14 4W 220V HLADNO BIJELA	6000-6500 K	14,60	18,25	B		
SP1458	LED ŽARULJA E14 4W 220V NEUTRAL BIJELA	4000-4500 K	14,60	18,25	B		
SP1459	LED ŽARULJA E14 4W 220V TOPLO BIJELA	2700-3200 K	14,60	18,25	B		
SP1460	LED ŽARULJA E14 6W 220V HLADNO BIJELA	6000-6500 K	14,60	18,25	B		
SP1461	LED ŽARULJA E14 6W 220V NEUTRAL BIJELA	4000-4500 K	14,60	18,25	B		
SP1462	LED ŽARULJA E14 6W 220V TOPLO BIJELA	2700-3200 K	14,60	18,25	B		
SP1463	LED ŽARULJA E14 6W 220V TOPLO BIJELA - DIMABILNI	2700-3200 K	35,40	44,25	B		
SP1464	LED ŽARULJA E14 6W 220V HLADNO BIJELA - DIMABILNI	6000-6500 K	35,40	44,25	B		
SP1465	LED ŽARULJA E14 6W 220V NATURAL BIJELA - DIMABILNI	4000-4500 K	35,40	44,25	B		
<b>PAR</b>							
SP1520	LED PAR30 30W/220V E27 HLADNO BIJELA - OSRAM CHIP	6000-6500 K	230,50	288,13	B		
SP1521	LED PAR30 30W/220V E27 NEUTRAL BIJELA - OSRAM CHIP	4000-4500 K	230,50	288,13	B		
SP1522	LED PAR30 30W/220V E27 TOPLO BIJELA - OSRAM CHIP	2700-3200 K	230,50	288,13	B		
<b>AR111</b>							
SP1516	LED AR111/G53 15W/12V 30° TOPLO BIJELA - EPISTAR	2700-3200 K	95,70	119,63	A		
SP1517	LED AR111/G53 15W/12V 30° NEUTRAL BIJELA - EPISTAR	4000-4500 K	95,70	119,63	A		
SP1518	LED AR111/G53 15W/12V 120° TOPLO BIJELA - EPISTAR	2700-3200 K	95,70	119,63	A		
SP1519	LED AR111/G53 15W/12V 120° NEUTRAL BIJELA - EPISTAR	4000-4500 K	95,70	119,63	A		
SP1523	LED AR111/G10 12W 36° HLADNO BIJELA	6000-6500 K	99,80	124,75	A		
SP1524	LED AR111/G10 12W 36° NEUTRAL BIJELA	4000-4500 K	99,80	124,75	A		
SP1525	LED AR111/G10 12W 36° TOPLO BIJELA	2700-3200 K	99,80	124,75	A		
<b>DODACI</b>							
OT5186	GRLO SA ŽICAMA MR16	---	2,30	2,88	F		
OT5187	GRLO SA ŽICAMA GU10	---	3,80	4,75	F		
OT5170	ARMATURA ZAKRETNA BIJELA Ø82*29mm Ø75mm G5.3	---	13,70	17,13	A		
OT5171	ARMATURA ZAKRETNA INOX Ø82*29mm Ø75mm G5.3	---	15,50	19,38	A		
OT5172	ARMATURA ZAKRETNA KROM Ø82*29mm Ø75mm G5.3	---	15,50	19,38	A		
OT5172	ARMATURA ZAKRETNA KROM Ø82*29mm Ø75mm G5.3	---	15,50	19,38	A		
OT5060	Armatura ugr. sa GU10 grlom, IP20, bijela		30,30	37,88	A		
OT5061	Armatura ugr. sa GU10 grlom, IP20, krom		32,60	40,75	A		
OT5062	Armatura ugr. sa GU10 grlom, IP20, inox		32,60	40,75	A		
OT5063	Armatura ugr. sa GU10 grlom, IP20, zakretna, bijela		34,40	43,00	A		
OT5064	Armatura ugr. sa GU10 grlom, IP20, zakretna, krom		35,60	44,50	A		
OT5065	Armatura ugr. sa GU10 grlom, IP20, zakretna, inox		35,60	44,50	A		
OT5066	Armatura ugr. sa GU10 grlom, IP65, bijela		41,60	52,00	A		
OT5067	Armatura ugr. sa GU10 grlom, IP65, krom		44,30	55,38	A		
OT5068	Armatura ugr. sa GU10 grlom, IP65, inox		44,30	55,38	A		